

Dfw



Our Reference: EIS-193-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Darrell Robinson, et al.
Serial Number: 10/736,083
Filing Date: December 15, 2003
Examiner/Art Group Unit: Leon, Edwin A./2833
Title: WATTHOUR METER SOCKET ADAPTER

CERTIFICATE OF MAILING AND TRANSMITTAL LETTER


Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted with this document is a Postcard; Applicant's Comments on Examiner's Reasons for Allowance in the above-identified application.

- X No additional fee is required.
- X Please charge any deficiency or credit any excess in the enclosed fees to Deposit Account Number 25-0115.

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450, on September 21, 2004.


William M. Hanlon, Jr.
Attorney for Applicant
Registration No. 28,422
(248) 649-3333

YOUNG & BASILE, P.C.
3001 West Big Beaver Road
Suite 624
Troy, MI 48084-3107



Our Reference: EIS-193-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Darrell Robinson, et al.
Serial Number: 10/736,083
Filing Date: December 15, 2003
Examiner/Art Group Unit: Leon, Edwin A./2833
Title: WATTHOUR METER SOCKET ADAPTER

APPLICANT'S COMMENTS ON EXAMINER'S REASONS FOR ALLOWANCE

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

In the detailed Action which accompanied the Notice of Allowance issued on September 17, 2004, the Examiner states "The Examiner also clarifies that the term 'electrical service apparatus' has being interpreted in light of the Specification and the Drawings as being a watt-hour meter".


Applicant takes objection to this clarification on the grounds that the use of the term "electrical service apparatus" in the claims is not a watt-hour meter, even though a watt hour meter is mentioned in the specification. It is submitted that any interpretation of the electrical service apparatus as specifically being a watt-hour meter is to be understood on the basis that the watt-hour meter is an example only of one type of electrical service apparatus.

Further, the Examiner's characterization of the electrical service apparatus as a watt-hour meter is incorrect as the example of the electrical service apparatus described in the specification and shown in the drawing clearly identifies the electrical service apparatus as including a watt-hour meter socket adapter, but not a watt-hour meter.

Entry of these comments in the above-identified application is respectfully requested.

Respectfully submitted,

YOUNG, BASILE, HANLON, MacFARLANE, WOOD
& HELMHOLDT, P.C.

A handwritten signature in black ink, appearing to read 'W. M. Hanlon, Jr.', with a stylized flourish at the end.

William M. Hanlon, Jr.
Attorney for Applicant(s)
Registration No. 28422
(248) 649-3333

3001 West Big Beaver Rd., Suite 624
Troy, Michigan 48084-3107

Dated: September 21, 2004
WMH/grl